Liling

JUN 58 THE THORNEY RURAL DISTRICT COUNCIL.

ANNUAL REPORT OF MEDICAL OFFICER OF HEALTH FOR 1957.

Mr. Chairman and Gentlemen,

I beg to submit my Annual Report of 1957.

The health of the community has been satisfactory. There was, however, a measles epidemic from April to July, 1957, involving some 59 cases - none serious.

There was a case of paralytic poliomyelitis in November, 1957.

The water supply and sewerage system have worked well.

I add another full report from the Surveyor and Public Health Officer.



Your obedient Servant,

J.R.F.Popplewell,

Medical Officer of Health.

STAFF

Medical Officer of Health J.R.F.Popplewell, M.R.C.S., L.R.C.P.,

D.(Obst.), R.C.O.G.

Surveyor & Public Health Inspector.

E.T.Little, M.R.S.H., M.A.P.H.I.

GENERAL STATISTICS.

Area 21,796 acres. Population 2,480.

VITAL STATISTICS.

•	Male.	Female.
Live Births :		
Legitimate. Illegitimate.	18.	20.
	19.	22.
Stillbirths.	Nil.	Nil.
Deaths of Infants under 1 year	ır. "	11
Deaths " " 4 wee	ks "	н
Total Deaths:	7.	9.
Deaths from Cancer	1.	1.
Deaths from Tuberculosis.	Nil.	Nil.

INFECTIOUS DISEASES.

Measles:	Male.	Female.
Under l year. l year. 2 years. 3 years. above 4 years. 5 - 9 years. 10 - 14 years. 15 - 24 years. 25 and over	1 2. 1. 8. 5. 14. -	1. 3. 2. 6. 14.
	33.	26.
Scarlet Fever Pneumonia Paralytic Poliomy New case of Tuber	elitis	

Diphtheria and Whooping Cough Immunisation.

1	ye	ar	• •	•	• •	•	•	•	•	•	•	•	•	•	11	chil	dre	n.
															1			
															1.			
Bo	008	ste	r	d	08	е	S	•	•	•	•	•	•	•	9.			

Immunisation against Poliomyelitis.

Individual records are not kept by the County Council, but they are all grouped together for County records.

Some 30 children so far have neem immunised.

Laboratory Facilities. Ambulance Facilities. Nursing in the Home.

Inspection and Supervision of Food.

Clinics.

The facilities of all the above services are the same as last year.

Housing.

Houses completed during the year :-

Council Houses		Nil
Private Building	°	
Bungalows	• • •	1.
Houses		1.

Council Offices, THORNEY, Peterborough.

June, 1958.

TO THE MEDICAL OFFICER OF HEALTH.

Sir,

I have the honour to present my third Annual Report in respect of the year ended 31st March, 1958, as follows:-

NUISANCES.

16 Nuisances were investigated as follows:-

Premises (disrepair) 7.
Sanitary accommodation 2.
Offensive accumulations 1.
Drainage 5.
Insanitary conditions 1.

Number of Nuisances abated as a result of informal action....... 16.

Number of Nuisances abated as a reult of statutory action.... Nil.

FACTORIES AND WORKSHOPS (See also Appendix 2).

REFUSE COLLECTION.

The refuse collection service is provided by contract labour and provides for a weekly collection in Thorney village and a monthly collection in the rural area. Disposal is carried out on the controlled tip in Peterborough by arrangement with the City Council. Four complaints were received during the year and taken up with the contractor. The present type of vehicles used by the contractor leaves much to be desired.

PETROLEUM ACTS, 1928, &c.

Thirty-seven current annual licences are in force in respect of the bulk storage of petroleum mixtures at 37 premises, an increase of 2 since last year. Twenty-eight inspections were carried out during the year.

MORTUARY.

One body was received into the Mortuary during the year. No post-mortem examinations were carried out.

IMPROVEMENT GRANTS.

Applications were received during the year in respect of 16 properties for improvement. Grants were made in each case, and the total sum awarded in grants during the year was £2,630.

WATER SUPPLY.

Bulk water consumption for the district was 23.4 million gallons or 64,000 gallons per day equivalent to 26 gallons per head per day in respect of the population served.

On chemical analysis, a sample of water taken in February, 1958, was shown to contain per million parts:-

Total solids dried at 180 deg.C Suspended matter Chlorides as chlorine. Oxidised Nitrogen as nitrate. Oxidised Nitrogen as nitrite Free and saline ammonia Albuminoid Ammonia Temporary hardness Permanent hardness Oxygen absorbed in 4 hrs. at 80 deg.F from N/80 KMn04. pH value Appearance Odour Taste and colour Heavy metals. Free chlorine	430.00. absent. 28.40 0.50 0.008 0.004 0.004. 235.00 57.00. 0.16. 7.00 clear and bright. None. normal. absent. absent.
No. of colonies developing per ml. on agar at 21 degrees C. in 72 hrs	1.
No. of colonies developing per ml. on agar at 37 degrees C. in 24 hrs.	0.
No. of colonies developing per ml. on agar at 37 degrees C. in 48 hrs.	17.
Faecal coli count per 100 mls. at 44 degrees C. in 48 hrs.	0.
Bacillus Coli (Presumptive) Absent in.	100 mls.

Observations on the Analysis.

This sample of water falls into Class 1 (excellent) of the Ministry of Health's classification of piped water supplies, and is also of suitable chemical quality for human consumption, domestic use and dairy purposes.

Four samples of water were submitted for bacteriological examination with results as follows :-

Highly satisfactory 4. Unsatisfactory Nil
Length of mains in miles
Domestic
Hydrants and valves repaired 11. No. of informal notices served re waste of water or defective fittings.2.

DRAINAGE AND SEWERAGE.

No new works have been carried out. 51 blockages were cleared during the year. 2 reports of a nuisance were received in respect of the methods of disposal in the outlying area (septic tanks, pails, etc.) and satisfactorily dealt with.

DISINFESTATION.

No requests were received during the year for this service.

FOODS AND DRUGS ACT.

Two supplementary milk licences are in force. All food premises have been inspected during the year.

MEAT INSPECTION (See Appendix I for Table of Disease prevalence.

341 carcases of food animals were inspected during the year as follows:

Cattle 96. Calves 2. Sheep 124. Pigs 119.

The use of the licenced slaughterhouse as a Deadweight Certification Centre was discontinued on the instructions of the Ministry of Agriculture, Fisheries and Food.

BUILDING BYELAWS.

works. 39 plans were deposited in respect of new buildings and works. 39 visits and inspections were made.

SUMMARY OF VISITS AND INSPECTIONS MADE.

Nuisances Water Supply.	29. 251.
Factories & Workshops.	8.
Food & Meat Inspection.	87.
Foodshops.	31.
Canteens.	2.
Drainage & Sewerage	117.
Drainage (new work)	32.
Caravans.	13.
Refuse Collection.	7.
Road Safety. Rodent Control.	8.
Improvement Grants.	23.
Committees, &c.	34.
New Buildings.	25.
Planning.	39.
Council Houses.	27. 136.
Petroleum Acts.	28.
Insect Pest Control.	20.
Miscellaneous.	75.
	しつ。

NUMBER OF INTERVIEWS:

Office. 298. At private residence. 73.

CONCLUSION.

In conclusion, may I express my thanks to the Council, and to the other officers and staff for their help during the year.

E.T.LITTLE.

A P P E N D I X I. MEAT INSPECTION.

CARCASES AND OFFAL INSPECT	ED AND C	ONDEWNED	IN WHO	OLE OR	IN PA	ART.
,	Cattle	Cows.	Calves	Sheep and	Pigs.	Hor
	Exclud- Cows.			Lambs.		1
	00115.					
Number killed.	89.	7.	2.	124.	119.	-
Number inspected.	89.	7.	2.	124.	119.	-
All Diseases except Tuberculosis and Cysticerci.		,		~~		
Whole carcasses condemned.	-	_	1	-	_	1
Part carcases condemned.	9.	_	_		8	
Percentage of number inspected affected						
with these diseases.	9.	_	50.	-	6.	-
Tuberculosis only.						
Whole carcases condemned.	2					
	3.	_	-	-	-	1
Part carcases condemned.	5.		-	-	2.	-
Percentage of number inspected affected						
with tuberculosis.	11.	-	-	-	1.	-
Cysticercosis.						
Part carcases condemned.	-	_	-	-	-	_)
Carcases submitted to					,	
treatment by refrigeration.		_	-	-		-
Generalised and totally condemned.			_			

APPENDIX II.

FACTORIES ACTS 1937 and 1938.

PREMISES	<u>-</u>	No. on Register.	No.oof Inspections.	Written Notices.	Occupiers Prossecute
Factories in Sections 1, 2 and 6 are to	2, 3, 4 be				
emforsed by I	ocal Authorities.	1,	2.	_	-
Factories in is enforced.	which Section 7	6.	7•		_
Other Premise	s.		-		
		7.	9.	-	_

	NO. C	OF CASES II	N WHICH DEFECTS	5	
Particulars.				Prose	ecutions.
	Found. Remedie	ed. Referi H.M.Ir	aspector by H.	M. ctor.	
Want of Cleanliness.		•••	-		÷
Sanitary accommodation unsuitable or					
defective.		_			-
		_			

